



# APD 16 A

Aksa  
Aksa P 602



|                                      |        |                   |
|--------------------------------------|--------|-------------------|
| Manufacturer                         |        | Aksa              |
| Model                                |        | A4CRX18           |
|                                      |        | %\$\$ "# "        |
|                                      |        | % 4 3<br>Q&Z\$<DQ |
|                                      | L      | 1,800             |
|                                      | "      | 80 X 90           |
|                                      |        | 18.0:1            |
|                                      | fl # 7 | "# " 1500         |
|                                      | fl 7   | L 5,00            |
|                                      |        | L 9,00            |
| AbsorbedAirDischargeReSourceKey.Text | ' # "  | 2,00              |
|                                      | ' # "  | 120,00            |
|                                      | ' # "  | 5,80              |
|                                      | ° C    | 425,00            |
|                                      |        | 12 V d.c.         |
|                                      | Load   | %%\$1             |
|                                      | # "    | 4,10              |

|     |      |         |
|-----|------|---------|
|     |      | Aksa    |
|     | Hz   | 50      |
|     | "    | 16,00   |
| 7cg |      | 0,80    |
|     |      | 3       |
|     | fl 7 | 400/230 |
|     | A    | 23,00   |

|          |        |         |        |        |       |
|----------|--------|---------|--------|--------|-------|
|          |        | fl 7    |        | fl 7   |       |
|          | "      | "       | "      | "      | L     |
| APD 16 A | 390,00 | 1400,00 | 760,00 | 927,00 | 32,00 |
|          |        | fl 7    |        | fl 7   |       |
|          | "      | "       | "      | "      | L     |
| ANS 1A   | 520    | 1672    | 823    | 1127   | 32    |



# APD 16 A

Aksa  
Aksa P 602



9B: #9  
 9b[ ]bY'gdYYX"  
 C]'dfYggi fY"  
 7cc'UbhY'a dYfUhi fY"  
 F i b' hja Y"  
 6UHYfmj c'rg"  
 7cbZ[ i fUV'Y hja ]b[ "  
 ; 9B9F 5HCF  
 J c' HU[ Y f@ @B E'  
 7i ffYbhf@&! @ E'  
 : fYei YbVWt  
 A 5-BG  
 J c' HU[ Y f@ @B E'  
 : fYei YbVWt  
 A U]bg'fYUXnt  
 A U]bg'YbUV'YX"  
 ; Yb"GYhfYUXnt  
 ; Yb"GYhYbUV'YX"

K 5F B-B;  
 7\UF[Y Z]i fY"  
 6UHYfm@ck #][ \ ] c' HU[ Y"  
 : U] 'hc' ghcd"  
 @ck #][ \ [ YbYfUhc'f j c' HU[ Y"  
 I bXYf#j Yf[ YbYfUhc'f ZYei YbVWt  
 Cj Yf# bXYf'gdYYX"  
 @ck c]'dfYggi fY"  
 <][ \ Vtc'UbhY'a dYfUhi fY"  
 G<I H8CK BG  
 : U] 'hc' gHUft  
 9a Yf[ YbVW'ghcd"  
 @ck c]'dfYggi fY"  
 <][ \ Vtc'UbhY'a dYfUhi fY"  
 Cj Yf# bXYf'gdYYX"  
 I bXYf#j Yf[ YbYfUhc'f ZYei YbVWt  
 I bXYf#j Yf[ YbYfUhc'f c' HU[ Y"  
 C]'dfYggi fY'gYbgcf'cdYb"  
 7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
 9@97 HF =75@HF D  
 ; YbYfUhc'f j YfW ffYbht

: 'YI JV'Y'gYbgcf'WVb VY Vcbfc'YX'k ]h' h'Ya dYfUhi fYz  
 dfYggi fYz dYfVW'bHU[ Y f'k Ufb]b[ #]i h'Xck b# 'YVWt]VW' hf]dL  
 @c'WV'gYh]b[ 'dUfUa YH'fg'UbX'a cb]hc'f]b[ 'Zca 'D7 'hc  
 Vcbfc' a cXi 'Y k ]h' I G6 VcbBYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 'Vta dUH[V]]hm6G'9B '\* \$-) \$  
 9'YVW]VW' Vi g]bYgg'Yei ]da Ybht  
 6G'9B '\*%\$!\*&9A 7 'ja a i b]migtUbXUfX"  
 6G'9B '\*%\$!\*( '9A 7 'Ya ]gg]cb'ghUbXUfX"

'6UHYfmVXUf[ Yf]g'a Ubi ZVWt fYX'k ]h' 'gk ]hVW]b[ !a cXY'UbX'GA 8 'YVW'bc'c[ mUbX'ih\Ug\][ \ YZ]VbYVWt' 6UHYfmVXUf[ Yf  
 a cXY'gfci hdi hJ !=VXUfUWVf]gh]W]g'j YfmVW'cgY'hc'gei UfY'UbX'ci hdi h]g' ]'Ua dYfz% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'( 'J '  
 #bdi h% , ' !&\* ( j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW]VW]hdfchYVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W ffYbhgci fVW"  
 Dfc]bY'%&\$) #&(\$) VXUf[ Yf'\Ug'\][ \ YZ]VbYVWt'cb[ ' ]Z'Z'ck ZU]i fY'fUYZ' ][ \hk Y][ \hUbX'ck \YUhfUX]UfYX' ]b  
 UVW'cfXUbW'k ]h' ]'bYUf'U'HYfbU]h'j Yg' H\Y'VXUf[ Yf]g'Z]hYX'k ]h' U'dfchVW]cb'X]cXY'UVW'cgg'h'Y'ci hdi h'7 cbbYVW]VWUf[ Y'Z]  
 fY'UmVt] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\YmUfY'Yei ]ddYX'k ]h' F: =Z]hYf'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX  
 Zca 'h'Y'XY'j]VW"; Uj Ub]VW'm]gc'UfYX' ]bdi hUbX'ci hdi h]md]VW'm(\_J 'Zcf'\][ \ fY' ]UV] ]hnt

# APD 16 A

Aksa  
Aksa P 602



5BG %5 !'



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials
- 11 Power out

1

Technical specifications and performance data for the generator, including details on power output, fuel consumption, and operating conditions. The text is partially obscured by noise and artifacts.

|       |   |      |
|-------|---|------|
|       | " | 823  |
| fl "L | " | 1672 |
| fl "L | " | 1127 |
|       | L | 32   |